
#### NITROGEN DEMAND PATTERNS

Where the consumption rate as a function of time is essentially PSA can produce nitrogen at various range of purities. The lower the constant, a PSA nitrogen system is an excellent fit for a steady flow pattern. The PSA unit size can easily be matched to the measured or estimated consumption rate. Furthermore, nitrogen production will be nitrogen purity. Normal nitrogen purity for food processing is in the most economical if the unit operates continuously near or at its full range from 99% to 99,5%. Lower purity nitrogen in the range from

A PSA system is not a good fit for processes with periodic flow pattern, where flow is characterized by peaks and valleys as a function of time. used for laser cutting, electronics soldering and pharmaceutical An onsite generator with such variable consumption, particularly if it applications. is sized for a peak flow, will operate at partial capacity or idle for a significant amount of time. This will results in high operating costs and operational inefficiency. However, if the duration of the valleys is short, a PSA combined with a large product buffer tank may be sufficient. A PSA system can be sized to handle most of the nitrogen requirements, supplemented with liquid nitrogen during peakdemand periods.



#### **USING NITROGEN SAFELY**

Nitrogen is nontoxic and largely inert gas and that is why it is often mistakenly considered harmless. Notwithstanding by displacing oxygen in air to levels below those required for survival, nitrogen can act as an asphyxiate medium.



#### CMS fixation

aging and inconveniently dusting. Adsorbent is also protected from unexpected liquid intake.



purity, the lower is the cost of nitrogen production. For example, the quality of vegetable oil can be maintained by blanketing with 99,5% 96% to 99% is often used in fire and explosion prevention. High purity with nitrogen content from 99,9 % to 99,999 % is typically

		-			
	Food processing: - Wine blanketing - Beer dispense - Oil sparging - Fruit storage	99,0 % to 99,9 %			
	Fire prevention	95 %			
	Explosion prevention	98% to 95 %			
	Chemical blanketing	99 % to 95 %			
	Pressure testing	95 %			
	Injection molding	99 % to 99,5 %			
	Electronic soldering	99,95 % to 99,995 %			
	Laser cutting	99,95 % to 99,995 %			
	Pharmaceutical	99,95 to 99,999 %			



High quality carbon molecular Robust SIEMENS PLC assures sieve ensure long service interval. reliable and stable operation and Molecular sieve is also protected offers variety of settings. The from unexpected liquid intake. controller is equipped with LCD display which provides all the

Carbon molecular sieve material is fixed in the column to prevent fast



necessary information about the

Two types of high quality oxygen sensors are available as an option:

zirconia sensors have fast response and high accuracy at low oxygen concentration,

electrochemical sensors are appropriate for lower purity's of



Standard version of N-GEN generators are equipped with high efficiency filters. Super fine coalescing filters at the inlet prevents contamination of the adsorbent material while a dust filter at the outlet intercepts the

## **NITROGEN USE BY PURITY**

Use of the nitrogen Purity of the N<sub>3</sub>

	Food processing: - Wine blanketing - Beer dispense - Oil sparging - Fruit storage	99,0 % to 99,9 %
	Fire prevention	95 %
	Explosion prevention	98% to 95 %
	Chemical blanketing	99 % to 95 %
	Pressure testing	95 %
	Injection molding	99 % to 99,5 %
	Electronic soldering	99,95 % to 99,995 %
	Laser cutting	99,95 % to 99,995 %
	Pharmaceutical	99,95 to 99,999 %



Air and Gas

SUBSULT SUBSUL

Devon, EX14 1SG





dust generated by the process.



# N-GEN Nitrogen generators



#### NITROGEN

Nitrogen is an inert gas that is suitable for a wide range of applications, covering various aspects of chemical manufacturing, processing, handling, and shipping. Nitrogen has low reactivity and it is excellent for blanketing and is often used as purging gas. It can be used to remove contaminants from process streams through methods such as stripping and sparging. Due to its properties it can be used for protection of valuable products against harmful contaminants. It also enables safe storage, usage of flammable compounds and can help prevent combustible dust

#### **GENERATING NITROGEN GAS**


Industrial nitrogen gas can be produced by either separation of gaseous air using adsorption (PSA) or fractional distillation of liquefied air using cryogenic methods.


#### PRESSURE SWING ADSORPTION

The first step in the PSA process is compressed air passing through a combination of filters and an activated carbon tower with the purpose of removing dust, entrained oil and water. The purified air is then directed to one of two adsorption vessels that are packed with carbon molecular sieves (CMS). The remaining impurities such as carbon dioxide and residual moisture are adsorbed by the CMS at the entrance of the adsorbent bed.

When the CMS is at high pressure, it selectively adsorbs oxygen,

allowing nitrogen to pass through it at the desired purity level. While one vessel is at high pressure to produce nitrogen, the second vessel is depressurized to remove the adsorbed oxygen, which is then vented to the atmosphere. The automatic switching between adsorption and desorption between the two beds enables the continuous production of nitrogen. By adjusting the size of the air compressor and adsorption vessels containing the CMS, a large range of flow and purity combinations can be met. PSAs can economically produce nitrogen gas at flowrates from less than one cubic meter per hour to greater than a few thousand cubic meter per hour at purities ranging from 96% to 99.999%.







- Blanketing of Chemicals





#### Nitrogen basics

Colourless. Odourless, Tasteless Gas

- Nitrogen does not enter in chemical reactions
- Inerting of Flammable Liquids - Laser Cutting - Prevention of Dust Explosions Nitrogen prevents oxygen access - Re-flow and Wave Soldering of
  - UV-Curing of Coatings

- Food processing

Applications

- Pharmaceuticals

Non-Ferrous Metals


#### Processes

- Prevention of oxidation of metals, polymers and chemicals, - Gas Assisted Injection Moulding
- For bacteriological growth - Heat Treatment of Ferrous & (foodstuffs & beverage)
  - Reduces the risk of combustion and explosion (chemicals, reactions, processes)
  - Source of Nitrogen LIN = Liquid Nitrogen, GAN = Gaseous Nitrogen

#### long life angled seated valves which are important due to high switch count. High flow valves have wide range of piston type actuators for maximum performance at

High quality valves

Our generators are equipped with



Adsorption (PSA) technology.

compressed air is led to a molecular sieve bed, which allows the nitrogen to pass through as a product gas, but adsorbs other gases. The sieve releases the adsorbed gases to the atmosphere, when the outlet valve is closed and the bed pressure returns to ambient pressure.

nitrogen in the compressed ambient air from before fresh compressed air will enter for a new the other gases by applying the Pressure Swing production cycle. In order to guarantee a constant product flow NG nitrogen generators use two molecular sieve beds, which alternatively switch During the PSA process compressed, cleaned between the adsorption and the regeneration phase.

Microfilter

12 Purge nozzle

14 Prefilter

13 Exhaust silencer

15 Nitrogen flow regulator

8 Activated carbon filter

10 Compressed air flow regulator

11 Angle seated valve with pneumatic actuator

## How generator works?

Generator contains two vessels with adsorbing sieve material:

- 1. As the high pressure air enters the first vessel, it moves through the sieve, and the oxygen is adsorbed.
- 2. Nitrogen is then channeled to a buffer tank.
- 3. Directly before the first vessel is completely saturated, the feed air is redirected to move through to the second vessel, where the same process occurs.
- 4. Once that process is complete, the first nitrogen generator vessel is vented out to the atmosphere, allowing the waste gas to release from the sieve.
- 5. Completing regeneration of the first vessel requires purging it with a small amount of process gas.

## Oxygen sensors

Omega Air generators are equipped with two types of oxygen sensors; zirconia and electrochemical. High purity nitrogen generator use a zirconia based sensor. A zirconia oxygen sensor has a very fast response time coupled with extremely accurate readings at low oxygen levels. Zirconia sensors also work exceptionally well in pressurised gas. In addition to all of this, they are incredibly robust and have a long lifespan of over twenty-five thousand hours.


Low purity nitrogen generators use electrochemical based sensors. Electrochemical sensors are has a fast response time and accurate reading at higher oxygen concentrations. Electrochemical sensors lifespan is over eighteen

	97 % vol N <sub>2</sub>	98 % vol N <sub>2</sub>	99 % vol N <sub>2</sub>	99,5 % vol N <sub>2</sub>	99,9 % vol N <sub>2</sub>	99,99 % vol N <sub>2</sub>	99,999 % vol N <sub>2</sub>
Zirconia sensors				✓	✓	✓	✓
Electrochemical sensors	✓	✓	✓				



# **Energy saving (sta**

N-GEN series generators have an option to receive a s compressor or other compressed air supply. While in t flow freely through both towers in direction from the ir generator. Meanwhile the generator controller is in the stand-by mode and ready to resume with the normal operation as soon as it gets the appropriate signal. The stand-by signal is relayed to the N-GEN generator through a stand-by contact on the controller by a connected switch.




### Standard equipment


- Set of external feed sir filters
- Adsorber vessels in carbon steel
- Long life pneumatic valves
- Internal piping & fittings zinc plated carbon steel
- Nitrogen flow regulation
- Control system with SIEMENS PLC
- WebControl

### Optional equipment

- Oxygen analyser with zirconium-oxide sensor
- Electronic product flow meter
- Feed air / product moisture analyser
- Feed air / product pressure transmitters
- Feed air / product temperature transmitters
- Nitrogen sterile filters
- Nitrogen booster
- Nitrogen cylinder filling system

#### **Dimensions**





Type         In         Out         A         B         C         kg           N-GEN 03         1/2"         1/2"         1085         550         1616         126           N-GEN 03         1/2"         1/2"         1093         550         1616         126           N-GEN 10         1/2"         1070         550         1641         205           N-GEN 15         1/2"         11/2"         1079         550         1641         205           N-GEN 15         1/2"         11/2"         1079         550         1641         205           N-GEN 15         1/2"         11/2"         1079         550         1760         255           N-GEN 25         1"         1/2"         1132         550         1913         335           N-GEN 26         1"         1/2"         1132         550         1913         335           N-GEN 25         1"         1/2"         1453         760         2048         585           N-GEN 35         1"         1/2"         1450         760         2102         845           N-GEN 36         1"         1/2"         1650         860         2184         1170 <th colspan="9">TECHNICAL DATA</th>	TECHNICAL DATA								
N-GEN 03   1/2"   1/2"   1085   550   1616   126     N-GEN 05   1/2"   1/2"   1093   550   1734   160     N-GEN 10   1/2"   1/2"   1070   550   1641   205     N-GEN 15   1/2"   1/2"   1079   550   1760   255     N-GEN 20   1"   1/2"   1132   550   1913   335     N-GEN 25   1"   1/2"   1297   760   2048   585     N-GEN 35   1"   1/2"   1453   760   2055   725     N-GEN 50   1"   1/2"   1450   760   2102   845     N-GEN 65   1"   1/2"   1650   860   2184   1170     N-GEN 80   1"   1/2"   1848   1010   2267   1675     N-GEN 150   2"   1"   2060   1160   2378   2260     N-GEN 250   2"   1"   2293   1325   2396   2877     N-GEN 250   2"   2"   2605   1425   2500   3950     N-GEN 300   2"   2"   2"   2815   1625   2605   4660     N-GEN 300   2"   2"   2"   2815   1625   2605   4660     N-GEN 300   2"   2"   2"   2815   1625   2605   4660     N-GEN 300   2"   2"   2"   2815   1625   2605   4660     N-GEN 300   2"   2"   2"   2815   1625   2605   4660     N-GEN 300   2"   2"   2"   2815   3605	Tune	Conn	ection		Mass				
N-GEN 05         1/2"         1/2"         1093         550         1734         160           N-GEN 10         1/2"         1/2"         1070         550         1641         205           N-GEN 15         1/2"         1/2"         1079         550         1760         255           N-GEN 20         1"         1/2"         1132         550         1913         335           N-GEN 25         1"         1/2"         1297         760         2048         585           N-GEN 35         1"         1/2"         1453         760         2055         725           N-GEN 50         1"         1/2"         1450         760         2102         845           N-GEN 65         1"         1/2"         1650         860         2184         1170           N-GEN 80         1"         1/2"         1650         860         2334         1290           N-GEN 100         2"         1"         1848         1010         2267         1675           N-GEN 150         2"         1"         2060         1160         2378         2260           N-GEN 200         2"         1"         2293         1325 <th< th=""><th>туре</th><th>In</th><th>Out</th><th>A</th><th>В</th><th>С</th><th>kg</th></th<>	туре	In	Out	A	В	С	kg		
N-GEN 10         1/2"         1/2"         1070         550         1641         205           N-GEN 15         1/2"         1/2"         1079         550         1760         255           N-GEN 20         1"         1/2"         1132         550         1913         335           N-GEN 25         1"         1/2"         1297         760         2048         585           N-GEN 35         1"         1/2"         1453         760         2055         725           N-GEN 50         1"         1/2"         1450         760         2102         845           N-GEN 65         1"         1/2"         1650         860         2184         1170           N-GEN 80         1"         1/2"         1650         860         2334         1290           N-GEN 100         2"         1"         1848         1010         2267         1675           N-GEN 150         2"         1"         2060         1160         2378         2260           N-GEN 200         2"         1"         2293         1325         2396         2877           N-GEN 250         2"         2"         2605         1425	N-GEN 03	1/2"	1/2"	1085	550	1616	126		
N-GEN 15         1/2"         1/2"         1079         550         1760         255           N-GEN 20         1"         1/2"         1132         550         1913         335           N-GEN 25         1"         1/2"         1297         760         2048         585           N-GEN 35         1"         1/2"         1453         760         2055         725           N-GEN 50         1"         1/2"         1450         760         2102         845           N-GEN 65         1"         1/2"         1650         860         2184         1170           N-GEN 80         1"         1/2"         1650         860         2334         1290           N-GEN 100         2"         1"         1848         1010         2267         1675           N-GEN 150         2"         1"         2060         1160         2378         2260           N-GEN 200         2"         1"         2293         1325         2396         2877           N-GEN 250         2"         2"         2605         1425         2500         3950           N-GEN 300         2"         2"         2815         1625         2	N-GEN 05	1/2"	1/2"	1093	550	1734	160		
N-GEN 20         1"         1/2"         1132         550         1913         335           N-GEN 25         1"         1/2"         1297         760         2048         585           N-GEN 35         1"         1/2"         1453         760         2055         725           N-GEN 50         1"         1/2"         1450         760         2102         845           N-GEN 65         1"         1/2"         1650         860         2184         1170           N-GEN 80         1"         1/2"         1650         860         2334         1290           N-GEN 100         2"         1"         1848         1010         2267         1675           N-GEN 150         2"         1"         2060         1160         2378         2260           N-GEN 200         2"         1"         2293         1325         2396         2877           N-GEN 250         2"         2"         2605         1425         2500         3950           N-GEN 300         2"         2"         2815         1625         2605         4660	N-GEN 10	1/2"	1/2"	1070	550	1641	205		
N-GEN 25 1" 1/2" 1297 760 2048 585 N-GEN 35 1" 1/2" 1453 760 2055 725 N-GEN 50 1" 1/2" 1450 760 2102 845 N-GEN 65 1" 1/2" 1650 860 2184 1170 N-GEN 80 1" 1/2" 1650 860 2334 1290 N-GEN 100 2" 1" 1848 1010 2267 1675 N-GEN 150 2" 1" 2060 1160 2378 2260 N-GEN 200 2" 1" 2293 1325 2396 2877 N-GEN 250 2" 2" 2605 1425 2500 3950 N-GEN 300 2" 2" 2" 2815 1625 2605 4660	N-GEN 15	1/2"	1/2"	1079	550	1760	255		
N-GEN 35 1" 1/2" 1453 760 2055 725  N-GEN 50 1" 1/2" 1450 760 2102 845  N-GEN 65 1" 1/2" 1650 860 2184 1170  N-GEN 80 1" 1/2" 1650 860 2334 1290  N-GEN 100 2" 1" 1848 1010 2267 1675  N-GEN 150 2" 1" 2060 1160 2378 2260  N-GEN 200 2" 1" 2293 1325 2396 2877  N-GEN 250 2" 2" 2605 1425 2500 3950  N-GEN 300 2" 2" 2" 2815 1625 2605 4660	N-GEN 20	1"	1/2"	1132	550	1913	335		
N-GEN 50 1" 1/2" 1450 760 2102 845 N-GEN 65 1" 1/2" 1650 860 2184 1170 N-GEN 80 1" 1/2" 1650 860 2334 1290 N-GEN 100 2" 1" 1848 1010 2267 1675 N-GEN 150 2" 1" 2060 1160 2378 2260 N-GEN 200 2" 1" 2293 1325 2396 2877 N-GEN 200 2" 2" 2005 1425 2500 3950 N-GEN 300 2" 2" 2815 1625 2605 4660	N-GEN 25	1"	1/2"	1297	760	2048	585		
N-GEN 65 1" 1/2" 1650 860 2184 1170 N-GEN 80 1" 1/2" 1650 860 2334 1290 N-GEN 100 2" 1" 1848 1010 2267 1675 N-GEN 150 2" 1" 2060 1160 2378 2260 N-GEN 200 2" 1" 2293 1325 2396 2877 N-GEN 250 2" 2" 2605 1425 2500 3950 N-GEN 300 2" 2" 2815 1625 2605 4660	N-GEN 35	1"	1/2"	1453	760	2055	725		
N-GEN 80         1"         1/2"         1650         860         2334         1290           N-GEN 100         2"         1"         1848         1010         2267         1675           N-GEN 150         2"         1"         2060         1160         2378         2260           N-GEN 200         2"         1"         2293         1325         2396         2877           N-GEN 250         2"         2"         2605         1425         2500         3950           N-GEN 300         2"         2"         2815         1625         2605         4660	N-GEN 50	1"	1/2"	1450	760	2102	845		
N-GEN 100 2" 1" 1848 1010 2267 1675 N-GEN 150 2" 1" 2060 1160 2378 2260 N-GEN 200 2" 1" 2293 1325 2396 2877 N-GEN 250 2" 2" 2605 1425 2500 3950 N-GEN 300 2" 2" 2815 1625 2605 4660	N-GEN 65	1"	1/2"	1650	860	2184	1170		
N-GEN 150         2"         1"         2060         1160         2378         2260           N-GEN 200         2"         1"         2293         1325         2396         2877           N-GEN 250         2"         2"         2605         1425         2500         3950           N-GEN 300         2"         2"         2815         1625         2605         4660	N-GEN 80	1"	1/2"	1650	860	2334	1290		
N-GEN 200         2"         1"         2293         1325         2396         2877           N-GEN 250         2"         2"         2605         1425         2500         3950           N-GEN 300         2"         2"         2815         1625         2605         4660	N-GEN 100	2"	1"	1848	1010	2267	1675		
N-GEN 250         2"         2"         2605         1425         2500         3950           N-GEN 300         2"         2"         2815         1625         2605         4660	N-GEN 150	2"	1"	2060	1160	2378	2260		
N-GEN 300 2" 2" 2815 1625 2605 4660	N-GEN 200	2"	1"	2293	1325	2396	2877		
	N-GEN 250	2"	2"	2605	1425	2500	3950		
<b>N-GEN 400</b> 2 1/2" 2" 3070 1675 2735 6850	N-GEN 300	2"	2''	2815	1625	2605	4660		
	N-GEN 400	2 1/2"	2''	3070	1675	2735	6850		

					i Liu oiu	Builde				
Туре		Inlet pressure	Discharge pressure	Residual Oxygen [vol. %]						
		barg	barg	3	2	1	0,5	0,1	0,01	0,001
						To	tal inert gas purity [vol. 9	<b>%</b> ]		
				97	98	99	99,5	99,9	99,99	99,999*
I-GEN 03	N <sub>2</sub> flow [Nm³/h]	7,5	6,3	5,68	5,36	4,88	3,44	2,56	1,47	0,83
		Feed air consu	ımption [Nm³/h]	10,3	10,3	10,2	9,3	9,2	7,2	4,7
I-GEN 05	N <sub>2</sub> flow [Nm³/h]	7,5	6,3	9,23	8,71	7,93	5,59	4,16	2,39	1,35
		Feed air consu	ımption [Nm³/h]	16,8	16,7	16,7	15,1	15,0	11,7	7,6
I-GEN 10	N <sub>2</sub> flow [Nm³/h]	7,5	6,3	15,6	14,7	13,4	9,5	7,0	4,0	2,3
		Feed air consu	ımption [Nm³/h]	28,9	28,3	28,4	25,5	25,3	19,8	12,8
1-GEN 15	N <sub>2</sub> flow [Nm³/h]	7,5	6,3	20,9	19,8	18,0	12,7	9,4	5,4	3,1
		Feed air consu	ımption [Nm³/h]	38,1	37,9	37,8	34,2	34,0	26,6	17,2
I-GEN 20	N <sub>2</sub> flow [Nm³/h]	7,5	6,3	30,9	29,1	26,5	18,7	13,9	8,0	4,5
		Feed air consu	ımption [Nm³/h]	56,2	56,0	55,7	50,5	50,1	39,2	25,3
I-GEN 25	N <sub>2</sub> flow [Nm³/h]	7,5	6,3	43,3	40,9	37,2	26,2	19,5	11,2	6,3
		Feed air consu	ımption [Nm³/h]	78,8	78,5	78,1	70,8	70,3	55,0	35,5
I-GEN 35	N <sub>2</sub> flow [Nm³/h]	7,5	6,3	68,5	64,7	58,9	41,5	30,9	17,8	10,0
		Feed air consu	ımption [Nm³/h]	124,7	124,1	123,6	112,0	111,2	87,0	56,2
I-GEN 50	N <sub>2</sub> flow [Nm³/h]	7,5	6,3	88,8	83,8	76,3	53,8	40,0	23,0	13,0
		Feed air consu	ımption [Nm³/h]	161,5	160,8	160,1	145,1	144,0	112,7	72,8
I-GEN 65	N <sub>2</sub> flow [Nm <sup>3</sup> /h]	7,5	6,3	115,4	108,9	99,1	69,9	52,0	29,9	16,9
		Feed air consu	ımption [Nm³/h]	210,0	209,0	208,2	188,7	187,2	146,5	94,6
-GEN 80	N <sub>2</sub> flow [Nm <sup>3</sup> /h]	7,5	6,3	134,9	127,3	115,9	81,7	60,8	35,0	19,8
		Feed air consu	ımption [Nm³/h]	244,9	243,8	242,7	220,0	218,3	170,9	110,4
-GEN 100	N <sub>2</sub> flow [Nm³/h]	7,5	6,3	195,6	184,6	168,1	118,5	88,2	50,7	28,7
		Feed air consu	ımption [Nm³/h]	356,0	354,4	352,9	319,9	317,4	248,4	160,5
-GEN 150	N <sub>2</sub> flow [Nm³/h]	7,5	6,3	263,1	248,2	226,0	159,3	118,6	68,2	38,5
		Feed air consu	imption [Nm³/h]	478,8	476,6	474,6	430,2	426,8	334,0	215,8
GEN 200	N <sub>2</sub> flow [Nm³/h]	7,5	6,3	360,3	340,0	309,6	218,2	162,4	93,4	52,8
		Feed air consu	ımption [Nm³/h]	655,8	652,8	650,1	589,2	584,6	457,6	295,6
-GEN 250	N <sub>2</sub> flow [Nm <sup>3</sup> /h]	7,5	6,3	439,5	414,7	377,6	266,2	198,1	113,9	64,4
		Feed air consu	imption [Nm³/h]	799,9	796,3	792,9	718,7	713,1	558,1	360,5
GEN 300	N <sub>2</sub> flow [Nm³/h]	7,5	6,3	600,0	566,2	515,5	363,4	270,4	155,5	87,9
		Feed air consu	imption [Nm³/h]	1.091,9	1.087,0	1.082,4	981,0	973,4	761,9	492,1
GEN 400	N <sub>2</sub> flow [Nm³/h]	7,5	6,3	766,8	723,6	658,8	464,4	345,6	198,7	112,3
		Feed air consu	ımption [Nm³/h]	1.395,6	1.389,3	1.383,5	1.253,9	1.244,2	973,7	629,0
request										

(1) For concentrations at higher purity please contact manufacturer.

All flow rates valid for generator operation at ambient conditions 20 °C, 1.013,25 mbar and 60% RH.

and-by)	
a stand-by signal from the n the stand-by the air can e inlet to the outlet of the	